FCA CANADA 2017 Fiat 124 Spider **CANADIAN SPECIFICATIONS**

Specifications are based on the latest product information available at the time of publication. All dimensions are in millimetres (inches) unless otherwise noted. All dimensions measured at curb weight with standard tires and wheels.

GENERAL INFORMATION

Body Style	Roadster
Assembly Plant	Hiroshima, Japan
EPA Vehicle Class	Two-seater
Introduction Date	Summer 2016 as a 2017 model

BODY AND CHASSIS

Layout	Monocoque unibody; front and rear suspension subframes
Construction	High-tensile strength steel body to improve rigidity; double-wishbone suspension at the front and multi-link at the rear; sport suspension

ENGINE: 1.4-LITRE TURBOCHARGED MULTIAIR I-4

Availability	Standard
Type and Description	In-line four-cylinder, liquid-cooled, turbocharged
Displacement	1,368 cu, cm (83.48 cu. in.)
Bore x Stroke	72.0 x 84.0 (2.83 x 3.31) (
Valve System	Belt-driven, MultiAir, SOHC, 16 valves, hydraulic end-pivot roller rockers
Fuel Injection	Sequential, multiport, electronic, returnless
Construction	Cast-iron block with aluminum-alloy head and aluminum-alloy bedplate
Compression Ratio	9.8:1
Maximum Turbo Boost (psi / bar)	22 psi / 2.49 bar
Power (SAE)	160 hp @ 5,500 rpm (Classica and Lusso)
	164 hp @ 5,500 rpm (Abarth)
Torque (SAE)	184 lbft. @ 2,500 rpm
Max. Engine Speed	6,250 rpm (electronically limited)
Fuel Requirement	87 octane (R+M)/2 acceptable
	91 octane recommended
Oil Capacity	3.8 litres (4.0 quarts) with dry filter
Coolant Capacity	7.2 litres (7.6 quarts) six-speed manual
	7.1 litres (7.5 quarts). six-speed automatic
Emission Controls	Three-way catalytic converter, heated oxygen sensors and internal engine features

EnerGuide (2016) Fuel Consumption	9.0 (31)/6.7(42)7.9 (36) six-speed manual transmission
Ratings L/100 km (MPG – imperial gallon) city/hwy/combined	9.3 (30)/6.5 (43)/8.0 (35) six-speed automatic transmission

Based on 2016 EnerGuide fuel consumption ratings. Government of Canada test methods used. Your actual fuel consumption will vary based on driving habits and other factors. For EnerGuide information, please visit the Government of Canada website: www.vehicles.nrcan.gc.ca

Towing	Not recommended
Engine Assembly Plant	Termoli, Italy

B400 AISIN SIX-SPEED AUTOMATIC TRANSMISSION

Availability	Classica, Lusso, Abarth
Description	Planetary gear train, longitudinal layout
	Paddle-shifted driver-interactive manual control (Abarth)
Gear Ratios	
1st	3.53
2nd	2.06
3rd	1.40
4th	1.00
5th	0.71
6th	0.58
Reverse	3.16
Axle Ratios	3.583
Mechanical limited-slip differential	Standard on Abarth

C635 SIX-SPEED MANUAL TRANSMISSION

Availability	Classica, Lusso, Abarth
Description	1st, 2nd, 3rd, 4th gear: Triple cone
Gear Ratios	
1st	4.363
2nd	2.348
3rd	1.647
4th	1.262
5th	1.000
6th	0.844
Reverse	3.863
Final-drive Ratio	3.454
Mechanical limited slip differential	Standard on Abarth

ELECTRICAL SYSTEM

Alternator	Denso SC2 150 A with LIN regulator
Battery	Q85

SUSPENSION

Front	Double-wishbone front with stabilizer bars
	Tower strut bar (Abarth)
Rear	Multi-link rear with stabilizer bars

STEERING

Туре	Double pinion electric power assist system (DP-EPAS) – rack-and-pinion
Overall Ratio	15.5
Turning Diameter (curb-to-curb)	9.4 m (30.8 ft.)
Steering Turns (lock-to-lock)	2.7

BRAKES

Availability	Standard: Classica, Lusso, Abarth
Front	Ventilated front disc
Size and Type	11-in. floating
Swept Area (per caliper)	67.8 sq. cm (10.5 sq. in.)
Rear	Solid rear disc
Size and Type	11-in. floating
Swept Area (per caliper)	63.0 sq. cm (9.8 sq. in.)
Availability	Optional: Abarth
Front	Brembo ventilated front disc
Size and Type	11-in. opposed
Swept Area (per caliper)	120 sq. cm (18.6 sq. in.)
Rear	Solid rear disc
Size and Type	11-in. floating
Swept Area (per caliper)	63.0 sq. cm (9.8 sq. in.) ()
Power-assist Type	Vacuum booster
Four-wheel anti-lock brake system (ABS)	Standard
Electronic stability control (ESC)	Standard
Parking Brake Type	Mechanical (lever type)



DIMENSIONS AND CAPACITIES

Wheelbase	2,309 (90.9)
Track, Front	1,496 (58.9)
Track, Rear	1,503 (59.1)
Overall Length	4,054 (159.6)
Overall Width	1,740 (68.5)
Overall Height	1,232 (48.5)
Approach angle, degrees	13.1
Curb Weight, kg (lbs.)	1,105 (2,436) six-speed manual (Classica, Lusso)
	1,124 (2,477) six-speed manual (Abarth)
	1,123 (2,476) six-speed automatic (Classica, Lusso)
	1,141 (2,516) six-speed automatic (Abarth)
Fuel-tank Capacity, litres (imp. gallons)	45 (9.9)

ACCOMMODATIONS

Seating Capacity — Front	2
Head Room	950 (37.4)
Legroom	1,096 (43.1)
Shoulder Room	1,325 (52.1)
Hip Room	1,320 (52.0)
Seat Travel	210 (8.3) driver / 170 (6.7) passenger
Recliner Range (degrees)	From 25 nominal, 12 forward and 22 rearward
Cargo space, litres (cu. ft .)	140 litres (4.94)

TIRES

Availability	Standard: Classica
Size and Type	195/50R16 three-season
Mfr. and Model	Yokohama Advan Sport V105
Revs per Kilometre (mile)	1,414.6 (879)
Wheels	16 x 6.5 Silver painted aluminum



Availability	Standard: Lusso and Abarth
Size and Type	205/45R17 three-season
Mfr. and Model	Bridgestone Potenza S001 (Lusso)
	Bridgestone Potenza RE-050A (Abarth)
Revs per Kilometre (mile)	1,377.6 (856)
Wheels	17 x 7.0 Premium silver painted aluminum (Lusso)
	17 x 7.0 Gun Metal painted aluminum (Abarth)

